Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

ARS-91-28
September 1961

AH1.9
P315Ar
Cop. 2

Protect Pig Profits . . .

HELP FIGHT HOG CHOLERA

U.S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
2 5 1964
CURRENT SERIAL RECORDS

Build a Barrier – Keep Cholera Out



U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL RESEARCH SERVICE

To keep porkers cholera-free . . .

- Properly vaccinate every pig in your herd.
- Buy replacements only from vaccinated herds.
- Isolate replacements from other pigs in your herd for 10 to 30 days.
- Don't feed raw garbage to your pigs.
- Don't visit premises containing sick hogs.
- Keep truckers, stock buyers, salesmen, and other visitors away from areas where pigs are kept.
- Disinfect footwear, worn in livestock markets or on other farms, before entering area where pigs are raised.
- Clean and disinfect buildings, feeding floors, and equipment frequently.
- Maintain good sanitation -- keep premises clean.

Prepared by the
Animal Disease Eradication Division
Agricultural Research Service
United States Department of Agriculture
Washington, D. C.

☆GPO : 1961 O - 620572

Growth Through Agricultural Progress